To the Chairman and Members of the Urban District Council, Seghill.

ANNUAL REPORT, 1900.

GENTLEMEN,

The following is my Annual Report as Medical Officer of Health, for the year 1900.


Forty-five deaths have occurred in the district during the year,—25 Males and 20 Females, and estimating the population at 2,400, this gives an annual mortality at the rate of 18.75 per thousand of the population.

The rates for the last 10 years will be found in Table I. attached to this Report.

Seventy-seven Births have been registered during the year, giving a birth rate of 32.08 per thousand of the estimated population. The average birth rates for the last 10 years will also be found in Table I.

The different causes of death and ages are shewn in Table IV.

The different Months, Quarters & Half-years in which the various deaths occurred are as follows:—



INFANT MORTALITY.

Nine deaths took place under 1 year of age, shewing an infant mortality at the rate of 3 7 per thousand of the population, and of 116.8 per thousand births registered. See Table I.

The average rate for the last ten years was 179°o. See Table I.

INFECTIOUS DISEASE.

Twenty cases of infectious disease have been notified under the Infectious Diseases (Notification) Act, during the year of which the nature and ages are shewn in Table III.

The only two forms were Scarlet Fever and Enteric or Typhoid Fever.

SCARLET FEVER.

This disease first appeared in Seghill Village, in February, in a boy $5\frac{1}{2}$ years of age, and being of a severe character proved fatal. Another death occurred in March, in a girl aged 4.

The outbreak continued during the year in the village, but assumed a more favourable character, and no more deaths took place.

In all 18 cases were notified up till December 6th, when the Disease appeared at the Middle and West Farms in the beginning of 1901.

S. Marine Contraction of the con : 10 .

ENTERIC AND TYPHOID FEVER.

A case of enteric fever occurred at Backworth Cottages, in May, and was of a mild type. These Cottages are 2 isolated dwellings, separated from the majority of the houses in the district, but are situated beside an open sewer which flows through the field. Immediately on the case occurring, steps were taken to cover the sewer by placing it in sanitary pipes for a considerable distance away from the cottages, and in their immediate vicinity. In August, however, another case of the disease occurred in the same house, and was also of a favourable nature. No other cases appeared either here or in the district.

I would recommend the Council to have this sewer entirely covered by being put into sanitary pipes throughout its whole length, as it was undoubtedly the cause of the disease at this place.

One death in the district has also been returned as resulting from Influenza, but no epidemic of this disease existed.

ZYMOTIC MORTALITY.

A total of 4 deaths resulted from the usual forms of Zymotic disease, viz.:—Scarlet Fever, 2; Influenza, 1; Enteritis, 1. These figures give a mortality from this cause at the rate of 1.6 per thousand of the estimated population. See Table 4.

SANITARY WORK.

The general sanitation of the district has been very much improved by the introduction of the ash closets which are well attended to and regularly emptied. The general cleanliness of the village has also been much improved by the consequent removal of the huge magazines of ashes and refuse, which so long disfigured the district everywhere. In every respect the sanitary condition of the district continues most satisfactory.

THE ISOLATION HOSPITAL.

No cases have been treated during the year in the Isolation Hospital, which is indeed at present occupied by several families, who could however be removed on short notice, if it were required for isolation purposes.

INSPECTION OF THE DISTRICT.

I have made frequent inspections of the district during the year, especially those parts where infectious disease existed.

I am glad to present the Council again with a satisfactory report of the sanitary condition of the District, and although the outbreak of Scarlet Fever existed to the extent of 18 cases, the general and Zymotic mortalities of the district have been satisfactory.

I am, Gentlemen,

Your obedient Servant,

ROBT. ANDERSON, M.D., &c.,

MEDICAL OFFICER OF HEALTH.

Gateshead,

March 1st, 1901.




TABLE I.

1-/Urban

Name of District

For Whole District.

Population		Ві	BIRTHS.		DEATHS UNDER ONE YEAR OF AGE.		AT ALL TOTAL.	DEATHS	Deaths of	Deaths of	DEATHS AT ALL AGES. NETT.	
YEAR.	estimated to Middle of each Year.	Number.	Rate.*	Number.	Rate per 1.000 Births registered.	Number.	Rate.*	IN PUBLIC INSTITU- TIONS.	residents registered in District.	Residents registered beyond District.	Number.	Rate.*
1	2	3	4	5	6	7	8	9	10	11	. 12	13
1890.	2300	80	34.7	14	175.0	41	17.8			·	,	·
1891.	2300	95-	41.3	14	147.0	41	17.8					
1892.	2300	87	37.8	16	184.1	36	15.6					
1893.	2300	69	30.0	11	159.4	47	20.4					
1894.	2300	86	37.3	10	116.2	35-	15.2					
1895.	2300	76	33.0	9	118.4	46	20.0					
1896.	2300	67	29.1	//	1641	38	16.5					
1897.	2300	5-1	22.1	8	156.8	28	12./					
1898.	2300	66	28.6	15	227.2	44	19.1					
1899.	2300	73	3/.7	25	342-4	5-1	22:1					
Averages for years 189 ~1899.	2300	75-	32.5		179.0		17.6					
1900.	2400	77	32:08	9	116.8	45	18.75					

^{*} Rates calculated per 1,000 of estimated population.

NOTE.—The deaths to be included in Column 7 of this table are the whole of those registered during the year as having actually occurred within the district or division. The deaths to be included in Column 12 are the number in Column 7, corrected by the subtraction of the number in Column 10 and the addition of the number in Column 11.

By the term "Non-residents" is meant persons brought into the district on account of illness, and dying there; and by the term "Residents" is meant persons who have been taken out of the district on account of illness, and have died elsewhere.

Area of District in acres (exclusive of area covered by water).	Total population at all ages. 2269 Number of inhabited houses. 2569
M. 190.	Average number of persons per house

• . *

(b) Deaths of residents occurring beyond the district are to be included in sub-columns c of this table, and those of non-residents registered in the district excluded.

as to meaning of terms "resident" and "non-resident.")

(c) Deaths of residents occurring in public institutions are to be allotted to the respective localities, according to addresses of the deceased. 6867—10500—10/1900 G 45 Wt 16016 D & S sub-districts. Block I may, if desired, be used for the whole district: and blocks 2, 3, &c., for the several localities. In small districts without recognised divisions of known population this Table need not be filled up. (See note on Table I.

Notes:— (a)	1900	$\begin{bmatrix} \text{Averages} \\ \text{of Years} \\ 189 \ \ \ \ \end{bmatrix}$	1890 1891 1892 1893 1894 1896 1897 1898		, Year.	NAMES OF LOCALITIES.
The	2400	2300	2398 2398 2398 2398 2398 2398 2398	a.	Population esti- mated to middle of each Year.	1.28
separate	77	75	96666668 16666686	b.	Births registered.	The same
localiti	45-	40.7	女人は大き人はなるなか	c.	Deaths at all Ages.	8
localities adopted for	9	/3:3	をなってのことがい	d.	Deaths under 1 year.	
	•	,			Population estimated to middle of each Year.	2.
this tal	,			<i>b.</i>	Births registered.	
table sh			·	c.	Deaths at all Ages.	
ould b				d.	Deaths under 1 year.) .
should be areas of				a.	Population esti- mated to middle of each year.	.e.s
				<i>b</i> .	Births registered.	
which the				c.	Deaths at all Ages.	
_				d.	Deaths under 1 year.	
nopulations are				a.	Population esti- mated to middle of each year.	¥ -
				ь.	Births registered.	
ainab				c.	Deaths at all Ages.	
le fron				d.	Deaths under 1 year.	
n the cer			,	n.	Population esti- mated to middle of each Year.	5.
SIIS PA				b.	Births registered.	
Stratery				c.	Deaths at all Ages.	
sinch:			·	d.	Deaths under 1 year.	
ns wards				ů.	Population estimated to middle of each year.	6.
paris				ь.	Births registered.	
hes or		<u> </u>		c.	Deaths at all Ages.	
anong				d.	Deaths under 1 year.	
obtainable from the census returns, such as wards, parishes or groups of parishes, or registration			·	a.	Population esti- mated to middle of each year.	7
shes.				<i>b</i> .	Births registered.	
r regi				c.	Deaths at all Ages.	
stratio		,		d.	Deaths under 1 year.	
∃ I.	.II.					

Name of District_



[See Instructions on page 3 of Memorandum as to Reports of Medical Officers of Health.]

Cases of Infectious Disease notified during the Year 19

Cases of Infectious Disease notified during the Year 19

Totals	Small-pox Cholera Diphtheria Membranous croup Erysipelas Scarlet fever Typhus fever Enteric fever Relapsing fever Continued fever Puerperal fever Plague	Notifiable Disease.	
20	20 00	At all Ages.	
		Under 1.	CAS
∞0	· ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	1 to 5.	ES NOTIFI
8 10 2	6	At Ages 5)to 15.	ED IN WH
2	~	At Ages†—Years. \$\int \text{7}\to 15. \text{15 to 25.}	CASES NOTIFIED IN WHOLE DISTRICT.
		25 to 65.	HCT.
		65 and upwards.	
		2 3 4 5 6 7	TOTAL CASES NOTIFIED IN EACH LOCALITY.
			No. of Cases renoved to Hospital from each Locality.
		14	TO HOSPITA
	•	Ot	L FROM EA
	•	o	ACH LOCAL
		7	ITY.

Notes.—The localities adopted for this table should be the same as those in Tables II. and IV.

State the name of the isolation hospital, if any, used by the sick of the district. Mark (H) the locality in which it is situated, or if not within the district, state where it is situated, and in what district.

* This space may be used for record of other disease the notification (compulsory or voluntary) of which is in force in the district.
† These age columns for notifications should be filled up in all cases where the Medical Officer of Health, by inquiry or otherwise, has obtained the necessary information.

·III



IV

TABLE IV.

Seghill (Urban) District

Causes of, and Ages at, Death during Year 1900.

	Dragger N. West Dragger at, Death														
	DEAT	DEATHS IN WHOLE DISTRICT AT SUBJOINED AGES.							DEATHS IN LOCALITIES (AT ALL AGES).						DEATHS IN
CAUSES OF DEATH.	All ages.	Under 1.	1 and under 5.	5 and under 15.	15 and under 25.	25 and under 65.	65 and up- wards.								PUBLIC INSTITU- TIONS.
Small-pox													`		
Measles						-				,		· .			
Scarlet fever	2	4	/	/					-						
Whooping-cough Diphtheria and membranous croup.	=								-						
Croup									*						
Typhus									-				4		
Fever Enteric															
Other continued															
Epidemic influenza	/					/									
Cholera														^	
Plague Diarrhœa. (See notes at back.)						•									
Enteritis. (See notes at back.)	,		,									,			
Puerperal fever									•						
Erysipelas															
Other septic diseases															
Phthisis	5-			2		-3									
Other tubercular diseases.	1			/			_		,			;			
Cancer, malignant disease.	1	,			/					,					
Bronchitis	1/1					/	3								
Pneumonia `	7		4	1	/	1									
Pleurisy															
Other diseases of Respiratory organs.															
Alcoholism Cirrhosis of liver \ \cdots				0				(
Venereal diseases															
Premature birth	5	5													
Diseases and accidents of parturition.															
Heart diseases	4		1		1	2	1								
Accidents	2					2									
Suicides															
All other causes	10	10	,				5-								
	12	4	1			2	3								
All causes	45	9	1	5-	3	/2	9								

- Notes.—(a) The deaths of residents occurring beyond the limits of the district are to be included in this table, and deaths of non-residents occurring in the district are to be excluded. See note on Table I. as to meaning of "Residents" and Non-residents."
 - (b) Deaths of residents occurring in public institutions are to be allotted to the respective localities according to the addresses of the deceased as given by the Registrars, and, in addition, to be classified under "Public Institutions."
 - (c) Under the heading of "Diarrhœa" are to be included deaths certified as from diarrhœa, alone or in combination with some other cause of ill-defined nature; and also deaths certified as from

Epidemic enteritis;

Zymotic enteritis;

Epidemic diarrhœa. Summer diarrhœa;

Dysentery and dysenteric diarrhea;

Choleraic diarrhœa, cholera nostras (in the absence of Asiatic cholera).

Under the heading of "Enteritis" are to be included those certified as from Gastroenteritis, Muco-enteritis and Gastric catarrh, unless from information obtained by enquiry from the certifying practitioner or otherwise, the Medical Officer of Health should have reason for including such deaths, especially those of infants, under the specific term "Diarrheea."

Deaths from diarrhea secondary to some other well-defined disease should be included under the latter.

In recording the facts under the various headings of Tables I., II., III. and IV., attention has been given to the notes on the Tables.

Medical Officer of Health

Date March 1 1901

2